




NOTES:

1. THIS IS A TOPOGRAPHIC SURVEY OF ABOVE GROUND FEATURES ONLY. NO DETERMINATION OF THE PROPERTY BOUNDARY HAS BEEN MADE AT THIS TIME.
2. THE SURVEY SHOWN HEREON WAS PREPARED WITHOUT THE BENEFIT OF AN ABSTRACT OF TITLE, THEREFORE, THE UNDERSIGNED AND CUMBEY AND FAIR, INC. MAKE NO GUARANTEES OR REPRESENTATIONS REGARDING INFORMATION SHOWN HEREON PERTAINING TO EASEMENTS, RIGHTS-OF-WAY, SETBACK LINES, AGREEMENTS, RESERVATIONS OR OTHER SIMILAR MATTERS.
3. ELEVATIONS SHOWN HEREON ARE BASED ON NATIONAL GEODETIC VERTICAL DATUM (NGVD) OF 1929 AND ARE BASED ON PINELLAS COUNTY BENCHMARK "SEMINOLE W" ELEV = 32.302.
4. NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.


LEGEND:

- PBOX PULL BOX
- RCP REINFORCED CONCRETE PIPE
- PVC POLYVINYL CHLORIDE
- MES MITERED END SECTION
- INV INVERT
- CLF CHAIN LINK FENCE
- BFP BACK FLOW PREVENTER
- TYP TYPICAL
- TX ELECTRIC TRANSFORMER
- A/C AIR CONDITIONER ON CONC PAD
- CONC CONCRETE
- FF FINISHED FLOOR
- ELEV ELEVATION
- FH FIRE HYDRANT
- W/ WITH
- M METER
- SM SANITARY MANHOLE
- LP LIGHT POLE
- V VALVE
- P POWER POLE
- A ANCHOR
- E ELEVATION

TREE LEGEND:

- UNKNOWN
- HOLLY
- PALM
- PINE
- WAX MYRTLE
- OAK
- MAGNOLIA
- SYCAMORE
- BUSH
- HEDGE

NORTH



EXISTING SURVEY

SCALE: 1"=30'

ELEVATION KEY NOTES

A10-002
(03/02/04)

- 1 NEW SCHEDULED DOOR. REFER TO DOOR SCHEDULE.
- 2 NEW WINDOW. REFER TO DRAWING A4-1 AND A5-1.
- 3 EXISTING WINDOW TO REMAIN. NO WORK TO BE DONE UNLESS OTHERWISE INDICATED ON ARCHITECTURAL FLOOR PLAN A5-1.
- 4 EXISTING PARAPET TO REMAIN. REPAIR AS REQUIRED.
- 5 PROVIDE NEW FABRIC (FIRE RESISTANCE) AWNING ON 1"x1" ALUMINUM TUBULAR FRAME AND 4"x4" ALUMINUM TUBULAR COLUMNS. FRAME IS TO BE PAINT AS PER ARCHITECT COLOR SELECTION.
- 6 PROVIDE NEW STUD MOUNTED SIGNAGE. LETTERS TO BE 10" HIGH.
- 7 EXISTING PLAQUE TO REMAIN. ADD NEW CAST PLAQUE TO MATCH EXISTING. VERIFY W/OWNER.
- 8 NEW CMU AND CEMENT PLASTER WALL TO MATCH EXISTING ADJACENT WALLS.
- 9 PREP ALL EXISTING ELASTOMERIC COATING, REPAIR EXISTING CEMENT PLASTER AS REQUIRED AND PREP WALLS FOR NEW FINISH. PAINT WITH NEW ELASTOMERIC COATING; SERVICE AND SEAL CEMENT PLASTER JOINTS WITH SILICONE SEALANT AT ALL JOINTS, REMOVE AND REPLACE ANY LOOSE ONES; WATER TEST ALL PUNCHED WINDOW ASSEMBLIES TO IDENTIFY WATER RETENTION AND CORRECT AS NECESSARY, APPLY SILICONE SEALANT TO ALL GLASS-TO-METAL AND METAL-TO-METAL JOINTS. ALL ELASTOMERIC COATING AND SEALANT COLORS TO BE SELECTED BY ARCHITECT. TYPICAL AT ALL CEMENT PLASTER WALLS.
- 10 MECHANICAL FASTEN EXISTING COPING AND RESEAL WITH ELASTOMERIC SILICONE SEALANT. RESEAL ALL STUCCO AND METAL CONNECTIONS AT PARAPET. TYPICAL AT ALL COPINGS. IF ALTERNATE #1 ACCEPTED, REPLACE EXISTING COPING WITH NEW PER SPECIFICATIONS.
- 11 WATER TEST TO IDENTIFY WATER PENETRATION AND CORRECT AS NECESSARY. APPLY SILICONE SEALANT AT ALL TRANSITIONS AND JUNCTURES. TYPICAL AT ALL METAL ROOFS AND KALIWALL CLERESTORY SKYLIGHTS.
- 12 NEW HURRICANE-RESISTANT AUTOMATIC ENTRANCE DOOR AND ALUMINUM CURTAINWALL SYSTEM WITH LAMINATED GLASS.
- 13 NEW HURRICANE-RESISTANT ALUMINUM CURTAINWALL SYSTEM WITH LAMINATE GLASS.
- 14 NEW EMERGENCY GENERATOR ENCLOSURE WALL. SEE ALTERNATE No.3.
- 15 NEW 2" METAL SKEED PAINTED.
- 16 NEW CEMENT PLASTER CONTROL JOINT.
- 17 DELETE OVERFLOW SCUPPER. INFILL AND PATCH, MATCH ADJACENT FINISHES.
- 18 REMOVE AND RELOCATE BRONZE PLAQUE W/CITY OF SEMINOLE SEAL. PATCH AND REPAIR AS NECESSARY TO MATCH ADJACENT FINISHES.
- 19 RELOCATE BRONZE PLAQUE W/CITY OF SEMINOLE SEAL.
- 20 NEW PRECAST CONCRETE FOUNTAIN. SEE ALTERNATE #4.
- 21 NEW 8"x8" TILE TO MATCH EXISTING.

Signed & Sealed by:
Michael R. Mason, AIA

MBA

MASON BLAU
AND
ASSOCIATES, INC.
ARCHITECTS, PLANNERS
A A 0 0 2 7 7 9

NEWPORT SQUARE
4626 EAST BAY DRIVE
SUITE 228
CLEARWATER, FL
3 3 7 6 4

727/530-0570

© COPYRIGHT 2003

WEST ELEVATION

1/8" = 1'-0"

SOUTH ELEVATION

1/8" = 1'-0"

EAST ELEVATION

1/8" = 1'-0"

NORTH ELEVATION

1/8" = 1'-0"

ELEVATION GENERAL NOTES

A10-001
(02/13/04)

1. ALL DIMENSIONS SHALL BE FIELD VERIFIED BY CONTRACTOR BEFORE CONSTRUCTION. ARCHITECT SHALL BE NOTIFIED OF ANY AND ALL DISCREPANCIES.
2. GENERAL CONTRACTOR IS TO PRESSURE WASH REPAIR AND PATCH TO MATCH ALL EXISTING EXTERIOR STUCCO WORK BEFORE PAINTING WORK.
3. GENERAL CONTRACTOR IS TO PROVIDE NEW PERIMETER SEALANT AND OAK TRIM WINDOW SILLS ON THE INTERIOR TO ALL EXPOSED WINDOWS. FIELD VERIFY SCOPE OF WORK BEFORE REPLACEMENT.
4. GENERAL CONTRACTOR TO COORDINATE FINAL EXTERIOR COLOR SCHEME WITH ARCHITECT PREVIOUS TO PAINTING WORK. CONTRACTOR SHALL PAINT ALL CEMENTITIOUS EXTERIOR SURFACES WITH ELASTOMERIC COATING. CONTRACTOR SHALL INCLUDE THE PAINTING OF UP TO 4 DIFFERENT COLORS WITH ELASTOMERIC PAINT.

CITY OF SEMINOLE
LIBRARY / CITY HALL CONVERSION
SEMINOLE, FLORIDA
CONSTRUCTION DOCUMENTS

Comm. No. 02028
Date: 03/01/04
Drawn: MBA
Revised:

A10-1

Signed & Sealed by:
Michael R. Mason, AIA

MBA

MASON BLAU
AND
ASSOCIATES, INC.
ARCHITECTS, PLANNERS
A 0 0 0 2 7 7 9


NEWPORT SQUARE
4625 EAST BAY DRIVE
SUITE 228
Clearwater, FL
3 3 7 6 4
727/530-0570

© 2004 MBA

CITY OF SEMINOLE
LIBRARY / CITY HALL CONVERSION
SEMINOLE, FLORIDA
CONSTRUCTION DOCUMENTS


Comm. No. 02028
Date: 03/01/04
Drawn: MBA
Revised:

A11-2




WALL SECTION - ALTERNATE #3

1/2" = 1'-0"




WALL SECTION - ALTERNATE #4

3/4" = 1'-0"




WALL SECTION

1/2" = 1'-0"



WALL SECTION

1/2" = 1'-0"



WALL SECTION

1/2" = 1'-0"